SYSMAX CORP.

www.nitecore.com



SYSMAX Innovations Co., Ltd.

24/F, TCL Plaza, No. 18 Haizhou Road, Haizhu District, Guangzhou, 510335, Guangdong, China Tel: +86 20 83862000 Fax: +86 20 83882723 E-mail: info@nitecore.com



02 About NITECORE

EII

Tactical Lighting

12 Portable Lights

10

- 32 Signal Lights
- 34 Helmet Lights and Headlamps
- 36 Weapon Mount Lights38 Accessories

46 Power Solution

Chargers 48 Outdoor Power 49

54 Tactical Gear

- 56 Titanium/Aluminum Collection
- 57 Optics
- 58 Tactical Backpacks
- 62 Tactical Belt Pads

64 Body Armor and Packs

Body Armor 66 Lightweight Assault System 67


74

- Apparel
- 76 Base Layer
- 78 Tactical Layer
- 80 Insulation Layer82 Shell





www.nitecore.com





Established in 2007, Nitecore has long been at the forefront of technological advancement in portable illumination. Through its tremendous research and development capacity, Nitecore has become the first brand in the professional lighting and illumination industry to receive all four grand international design prizes including the American IDEA, the German iF Design Award, Red Dot Design Award and the Japanese G-Mark (Good Design), in addition to the worldly famous ISPO Award in the outdoor industry. Nitecore products are internationally recognized in over 100 countries.



MEDIA RECOGNITION





PATENT

With advanced technologies and technical personnel, Nitecore has been keeping innovating for over the years and has harvested over one hundred invention patents and utility model patents.



2nd GENERATION STROBE READY[™] TECHNOLOGY



THE FIRST COAXIAL DUAL OUTPUT HEADLAMP DESIGN IN THE INDUSTRY



INNOVATIVE TWO STAGE SWITCH

INNOVATIVE ACTIVE DIMING

TECHNOLOGY (ADT)



21700 i SERIES BATTERY



INNOVATIVE UNIQUE INTEGRATED TECHNOLOGY (UIT)



SPOTLIGHT / FLOODLIGHT

ADJUSTABLE E-FOCUS

DESIGN

REGULATION (ATR) TECHNOLOGY



INNOVATIVE MULTIMETER FUNCTIONALITY





THE INDUSTRY'S FIRST FLASHLIGHT UTILIZING INDUCTIVE CHARGING TECHNOLOGY





ALL-IN-ONE HIGHLY COMPATIBLE AND INTELLIGENT CHARGER SERIES

ON-SCREEN MOMENTS





TM28



Shooter

MT40/MT40GT



The Meg











Note: The screenshots and posters are for reference only. The copyright belongs to their respective production companies.



STROBE READY™

In law enforcement, the strobe flashlight for self-defense is used on potential suspects who may present a danger but are not lethally armed. The strobe light is disorienting to the person it is aimed at which makes it difficult for them to concentrate. Also, they avert their eyes away from the strobing effect. This means it is easier for the police to subdue successfully and control the suspect.



Specially designed for tactical applications to enable a quick access to STROBE Mode (Patent No.: ZL201320545349.4)

Inset pedal design to avoid accidental activation (US Patent No.: 15/846299 US10237955B1)

2nd Generation STROBE READY[™] Technology

STROBE READY™ Models: P10i, P20i, P20i UV, P10iX, P20iX, P10 V2, P20 V2, P20UV V2, C17



ADVANCED RANDOMLY CHANGING STROBE MODE

The randomly changing frequencies available in the STROBE Mode of latest NITECORE models can cause stronger dizzying effects due to the inadaptability of the naked eyes.

Models with Randomly Changing STROBE Mode: P10i, P20i, P20i UV, P30i, P10iX, P20iX, CI7, MH12S, MH12 V2, MH25S, MH25 V2, MH40GTR V2, NPL20, NPL30

TURBOREADYTM

NITECORE aims to lead a trend of new tactics with the TurboReady™ technology to enable an instant dazzle strike with a blazing tactical output, in order to produce an abrupt disturbance to your adversary during the day or at night.

NITECORE TurboReady™ Models: TM9K TAC, TM20K



TURBD/READY[™] Mode Button


ULTRAVIOLET & INFRARED

The UV light has shorter wavelengths than visible light, and is also known as black light. Ultraviolet LED flashlights are useful in many applications, including identifying forged documents, tracing marked bills, leakage/grease inspection, sanitary check, hunting scorpions etc.

The IR light is with wavelengths longer than those of visible light. Extensive uses for military and civilian applications include target acquisition, surveillance, night vision, homing, and tracking.

Ultraviolet Models: SRT7GT, CU6, TIKI, TIKI UV, THUMB LEO





NEXT GENERATION 21700 LI-ION BATTERIES

With an upgraded performance in a similar size featuring long lifespan, high energy density and powerful performance, 21700 Li-ion batteries were first introduced in the electric car industry and are considered to be the future of cylindrical batteries.



With the 18650/CR123 battery magazine, the latest NITECORE 21700 flashlight models have full compatibility of battery sizes and are recommended to be powered by 1 \times 21700 battery to gain an extended long runtime while compatible with 1 \times 18650 battery or 2 \times CR123 / RCR123 batteries.

NITECORE 21700 Flashlight Models: NEW P30, R40 V2, MH12S, MH12 V2, MH25S, MH25 V2, MH40GTR V2





As a patent product developed by NITECORE, the 21700 i Series Battery is a proprietary 21700 rechargeable Li-ion battery featuring dual way output with positive and negative polarities at both ends and a high energy density. It enables a highly efficient output by minimizing the loss of power due to internal resistance while compatible with modular extensions of intelligent communications and controlling systems. (Patent No. ZL201820118916.0, US Patent Pending)

NITECORE i-Generation 21700 Flashlight Models: P10i, P20i, P20i UV, P10iX, P20iX, P30i







Tactical Lighting

Tiny Monster Series

All of our groundbreaking Tiny Monster models have thoroughly changed the way people think about portable lights, and more importantly, what they actually carry and use. Created for search and rescue as well as outdoor adventures, our Tiny Monster series is now employed in countless professional applications where bright lighting is needed.

► TM9K TAC

TurboReady™ Ultra Compact Tactical Flashlight

Speci<u>fications</u>

+ Rechargeable

- + Runtime on lowest output level: 60h
- + 9 × CREE XP-L2 HD LEDs
- + Built-in Li-ion Battery







Law

Search

& Rescue

Search & Rescue

Features

- + 2nd Generation Inset Pedal Design with
- dual tail switches
- + The power indicator indicates the remaining battery power
- + Lockout mode available for safe storage
- + Built-in Tactical Ring Design





TurboReady[™] Ultra High Performance Searchlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 13h + 19 × CREE XP-L HD LEDs
- + 19 x CREE XP-L HD L







Features

+ The power indicator indicates the remaining battery power

+ Lockout mode available for safe storage



Specifications

- + Rechargeable
- + Runtime on lowest output level: 200h
- + 6 × CREE XHP35 HD LEDs + Built-in rechargeable Li-ion battery







- + Combination of dual side switches and a tail switch
- + Multifunctional OLED real-time display
- + Two lockout modes available



Ultra High Performance Superior Searchlight

Specifications

+ Rechargeable

+ Runtime on lowest output level: 36h + LUMINUS SBT-90 GEN2 LED + NBP68 HD Battery Pack





Features

- + Dual side switches specially designed for glove users
- + Integrated multi-function OLED display
- + Lockout mode available



Ultra High Performance Superior Searchlight

Specifications'

+ Rechargeable

- + Runtime on lowest output level: 20h
- + LUMINUS SBT-90 GEN2 LED
- + Powered by 4 \times 18650 Batteries



+ Dual side switches specially designed for glove users

+ Integrated multi-function OLED display

Features

+ Lockout mode available







PORTABLE LIGHTS

٥

Law Enforcement

S.0.S

Search & Rescue

Defense

Precise Series

NITECORE Precise Series flashlights are highly innovative illumination tools purpose-designed for law enforcement, hunting and tactical applications. With incredible user-interface design, these lights allow easy access to all modes and brightness levels. With blazingly bright output in TURBO/STROBE mode, exceptionally long runtimes in LOW mode and unique gun-mounting functionality, the Precise Series flashlights are the ultimate lighting tools for increased tactical effectiveness.



- + Tactical Mode and Daily Mode available
- + The power indicator indicates the remaining battery power











- NTH20
 - Weapon Mounted
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects

+ Anti-impact reverse polarity protection mechanism for shooting sports

- + Strike bezel uses high strength silicon nitride ceramics
- + The power indicator indicates the remaining battery power



+ NTR10 Tactical Ring Pro compatible





NTH20

365

nm





▶ P20 V2

Specifications

Features

+ Runtime on lowest output level: 55h

STROBE READY™ High Performance

- + CREE XP-L2 V6 LED
- + 1 × 18650 Battery
- + 2 × CR123 Batteries



Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches + Anti-impact reverse polarity protection mechanism for
- shooting sports
- + Strike bezel uses high strength silicon nitride ceramics
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power













٩

Law

Enforcement

PORTABLE LIGHTS

+ The power indicator indicates the remaining battery power



Law Enforcemen Self Defense

Weapon Mounted

▶ P10 V2

STROBE READY™ Ultra Compact **Tactical Flashlight**

Specifications'


+ Runtime on lowest output level: 55h + CREE XP-L2 V6 LED + 1 × 18650 Battery + 2 × CR123 Batteries



Features

NTH10

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches + Anti-impact reverse polarity protection mechanism for
- shooting sports
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power





▶ P18

Unibody Die-cast Futuristic Tactical Flashlight

Specifications'

+ Runtime on lowest output level: 220h + CREE XHP35 HD LED

- + 1 × 18650 Battery
- + 2 × CR123 Batteries



Features

- + The silent tactical tail switch enables silent operation of the white light
- + The side switch controls the auxiliary red light independently
- + STROBE Mode uses randomly changing frequencies for stronger dizzving effects
- + The auxiliary red LED indicates the remaining battery power









i-Generation 21700 High Output Searchlight

Specifications'

- + Rechargeable + Runtime on lowest output level: 100h
- + CREE XHP35 HI LED
- + 1 × 21700 i Series Battery
- + 2 × CR123 Batteries



Features

+ Combination of a tail switch and a side switch + Dual power indicators can indicate the remaining battery power





+ The power indicator indicates the remaining battery power

Smart Ring Tactical Series

The Smart Ring Tactical Series features the 3rd generation of Smart Selector Ring and multiple colored LEDs in a compact flashlight. The unique and user-friendly interface offers a swift and easy access to various brightness levels with a stepless brightness regulation, special modes and even different colored output. It enables the most versatile usage in such an all-in-one flashlight.




- Red + Blue + Green + UV + 3 Special Modes
- + The 3rd Generation Smart Selector Ring combined with a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power









Ö

Weapon

Search

Chameleon Series

The Chameleon series is yet another unique and innovative offering from NITECORE. Featuring two groups of LEDs and an easy switching mechanism, the latest CI7 can provide an ultra high output for each group while bringing unlimited possibilities for our flashlight design. Simply push the head outwards and rotate the head clockwise or counterclockwise to switch between the beams. The industry-leading design of the Chameleon series is another proof of NITECORE's capacity for innovation.



Features

- + Primary White Light + UV
- + Auxiliary Red + Blue + Green + 4 Special Modes
- + Combination of dual side switches and a tail switch

+ Anti-impact reverse polarity protection mechanism for shooting sports

+ The power indicator indicates the remaining battery power





Night Vision

Devices Compatible

S.O.S Search & Rescue

Ö

Law

Enforcement

Weapon

Mounted

NTD10 Tructional Diago Drago and

Features

Law Enforcement


> Weapon Mounted

A tactical flashlight with Five individual light sources

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches + Easy dual beam switching mechanism between IR and white
- beams
- + Tactical Mode and Daily Mode available for the white beam
 + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power

The IR beam of the CI7 utilizes 4 🕱 SST-10-IR LEDs (wavelength 940nm) available with 3 output levels.







LOW 1000mW MID 3000mW HIGH 7000mW



PORTABLE LIGHTS

20

Rechargeable Series

Rechargeable Series are aimed at your ultimate maneuver. The smart charging docks keep your flashlights always fully-powered for any abrupt cases. With power-boosted proprietary Li-ion batteries, the Rechargeable Series flashlights are capable of emitting blinding blaze in no time, smashing up darkness and violence for your law enforcement and tactical tasks.



```
OUSB-C
Charging
```

Inductive Wireless Charging Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 1200h
- + CREE XP-L HI V3 LED





Features


- + Triple charging ways available
- + Dual side switches design
- + Wall mount cradle and desktop cradle included for inductive wireless charging
- + AC adapter and 12V/24V car adapter included + The power indicator indicates the remaining
- battery power











Multitask Hybrid Series

NITECORE Multi-task Hybrid dual-fuel rechargeable flashlights are a popular line of highly versatile and practical illumination tools designed for a multitude of users and applications. Featuring a high-precision long-range reflector, well-spaced brightness settings plus various special modes, the Multitask Hybrid Series is the ultimate lighting tools for hunting, law enforcement, search and rescue.







▶ MH12 V2

EUSB-C Charging

Next Generation 21700 Dual Fuel **Tactical Flashlight**

Specifications

+ Rechargeable

- + Runtime on lowest output level: 1500h
- + CREE XP-L2 V6 LED
- + 1 × 21700 Battery
- + 1 × 18650 Battery + 2 × CR123 Batteries
- 202 1200 Meters Lumens

Features

- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



NTH10

24





+ STROBE Mode uses randomly changing frequencies for stronger dizzying effects

+ The power indicator indicates the remaining battery power

▶ MH25 V2

Next Generation 21700 Dual Fuel Long Range Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 1500h + CREE XP-L2 LED + 1 × 21700 Battery
- + 1 × 18650 Battery
- + 2 × CR123 Batteries





- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects

USB-C Charging

+ The power indicator indicates the remaining battery power











Multi-output Dual Fuel Tactical Flashlight

reddot award

Specifications

+ Rechargeable

- + Runtime on lowest output level: 708h
- + Cree XP-L HI V3 LED
- + 1 × 18650 Battery
- + 2 × CR123 Batteries



Features

- + Primary White Light
- + Red + Blue + Green + 6 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power





► MH27UV

Primary White Light Red + Blue + UV + 6 Special Modes







Ultra Long Range Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 220h
- + High Performance OSRAM LED
- + 2 × 21700 Batteries
- + 2 × 18650 Batteries



Features

- + Combination of a tail switch and a side switch
- + Wireless remote switch available + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Ö

Law



Wireless Remote Switch



Multi-Task Series

Multi-Task Series is a line of highly versatile and practical illumination tools designed for a multitude of users and environments. With a convenient two-mode interface for an easy switch between TURBO and User-Defined Mode, the MT1A and MT2A are becoming the ultimate backup flashlights for police and military forces as they are powered by the AA batteries, one of the most commonly seen power sources.

► MT1A

Ultra Compact AA Tactical Flashlight

Specifications

- + Runtime on lowest output level: 60h
- + Cree XP-G2 R5 LED
- + 1 × AA Battery



Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available







Specifications'

+ Runtime on lowest output level: 50h + Cree XP-G2 R5 LED $+ 2 \times AA$ Batteries



Features

+ Combination of dual mode switching mechanism and a tail switch

+ User-defined Mode available



The T series is a collection of mini lights. Small yet powerful, each light comes with multiple features in an extremely mini housing. With a built-in Li-ion battery and a Micro-USB port, it offers flexible charging options and ultimate convenience of use, making it the best gadget on the go that you will carry every day.



Quad-Core Intelligent Keychain Light

Specifications

Law Enforcement

+ Rechargeable

- + Runtime on lowest output level: 67h
- + 4 × CREE XP-L2 V6 LEDs
- + Built-in Li-ion Battery



Features

- + Dual side switch Design
- + Multifunctional OLED real-time display + Two lockout modes available
- + Two user modes available
















		TIKI	TIKI GITD	TIKI GITD BLUE	TIKI LE	ΤΙΚΙ UV
342	Max Output		300 Lu	umens		1,000mW
	Primary Emitter		OSRAN	1 P8 LED		Luminus SST-10-UV LED
	Auxiliary Emitters	Н	ligh CRI White LE	D	Red LED	2 × High CRI
	Addition y Entimens	UV L	.ED (500mW, 365	nm)	Blue LED	White LEDs
	Built-in Li-ion Battery	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
÷>•	USB Rechargeability	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
-0	Glow in the Dark	×			×	×

SIGNAL LIGHTS



Mini IR Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 20h
- + IR 940nm
- + Built-in Li-ion Battery



- + IR Light (940nm) Constant-on + Flashing Green Light Constant-on + Flashing
- + Single switch design

Dual Light Sources with 4 Modes Available



Green Flashing





+ Runtime on lowest output level: 18h

Red Flashing

+ 4 high performance LEDs + Built-in Li-ion battery



Green Beam

Night Vision Devices

Compatible

Mini Signal Light

Military Version




+ Rechargeable



Mini Signal Light Law Enforcement Version

Blue Flashing



White Flashing



Red/Blue Police Warning Flashing





Mini Signal Light







Features + Primary White + UV Light

Law Enforcement Version

Red & Blue Warning Signals + Dual switch design

Helmet Lights

The NITECORE Helmet Lights are specially designed for law enforcement, military, firefighting, search and rescue. The newly released HC60M and HC65M are equipped with a quick detachable NVG mount based on our award-winning headlamp design, while the NU32 features an ultra lightweight design to ease the burden of wearing or mounting.

USB-C CHARGING ► HC60M V2 **High Performance Tactical Helmet Light** With NVG Mount Specifications + Rechargeable + Runtime on lowest output level: 680h + OSRAM P9 LED

- + 1 × 18650 Battery
- + 2 × CR123 Batteries



Features

Ö

Law Enforcemen

S.0.5

Search & Rescue

► HC65 V2

Headlamp Version

- + Single switch design
- + The power indicator indicates the remaining battery power



Law Enforcement

► HC65M V2 ■USB-C CHARGING

Triple Output Tactical Helmet Light With NVG Mount

Specifications

+ Rechargeable + Runtime on lowest output level: 800h + Luminus SST-40-W LED + 1 × 18650 Battery + 2 × CR123 Batteries



Features + Primary White Light High CRI White Light + Red + Single switch design







► HM01

High Performance Tactical Helmet Light

Specifications

+ Runtime on lowest output level: 15h + Luminus SST-20-W LED + 1 × CR123 Battery

74


Meters





320

+ 3D Pivoting System specially designed for ARC Rails







34











▶ NPL20

Universal Compact Weapon Light

Specifications

+ Runtime on lowest output level: 50min + CREE XP-G3 S3 LED + 1 × CR123 Battery



Features

- + Ambidextrous activation dual switch design
- + Anti-impact reverse polarity protection mechanism specially designed for shooting sports
- + STROBE Mode uses randomly changing frequencies
- for stronger dizzying effects

▶ NPL30

High Performance Universal Weapon Light

Specifications

+ Runtime on lowest output level: 1h 45min + 4 × CREE XP-G3 LEDs

+ 2 × CR123 Batteries



Features

- + Ambidextrous activation dual switch design
- + Electronic reverse polarity protection
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects









The LMA1 is a flashlight helmet mount compatible with Ops-Core ARC Rails specially designed for law enforcement, firefighting, search and rescue. Constructed from aero grade aluminum alloy with HA III military grade hard-anodized finish, if features light weight, solidity and excellent impact resistance. It is able to hold a flashlight with a standard tube diameter of 1" (25.4mm) and 360° rotatable with quick and easy adjustment to 8 directions.

MT10C Helmet Light Set









Specially designed for law enforcement and firefighting, the HRM2 is a helmet mount constructed from engineering plastic featuring solidness, lightweight and wearproof. It can be easily installed and conveniently adjust the beam angle with a 3D pivoting system.





Gun Mounts

Constructed with aero grade aluminum alloy with HA III military grade hard-anodized finish, gun mounts are used to fix various tactical flashlights to the gun.

	Туре	Compatible Tube Diameter
GM02	Picatinny Rail Mount	1" (25.4mm)
GM02MH	Magnetic Mount	1" (25.4mm)
GM03	Generic Adjustable Mount	0.3"-1.1" (8mm-28mm)
GM04	Generic Fixed Mount	0.7"-1" (18mm-25.4mm)
GM05	Generic Scope Mount	1"-1.2" (25.4mm-30mm)
GM06	Picatinny Rail Mount	1" (25.4mm)



Tactical Remote Switch

Noiseless pressure pad switch with professional and convenient operation, ideal for law enforcement, hunting and more scenarios.

	Compatible Models
RSW1	SRT7GT, CU6, MH27, MH27 UV
RSW2	P10 V2, P20 V2, P20UV V2
RSW2D	CI7
RSW2i	P10i, P20i, P20i UV, P30i, P10iX, P20iX
RSW3	NEW P30, MH12S, MH12 V2, MH25S, MH25 V2



Tactical Ring Pro

The NTR10 is a tactical accessory to enable a unique and flexible way of carrying or operating a flashlight. It can be mounted on the specially designed slots of the latest NITECORE tactical flashlights according to the size of the user's hand.











Compatible with NITECORE tactical holsters to enable a quick and precise operation of the flashlight

NTR10 Operation Guide

2Used as a tactical striking knuckle when mounted on a flashlight





Dual ways of quick detachment to prevent pressure to the fingers

Create your unique and flexible way of carrying a flashlight




Strengthen your grip to avoid accidental harm to your wrist


Tactical Holster


Specially designed for law enforcement, the tactical holsters enable a quick draw of the flashlight with an adjustable stopper on the clip to suit belts of various sizes and compatible with the MOLLE System.

Compatible with belts of 1¼", 1½", 1¾", 2" and 2¼"









360° Rotatable Mechanism









Rechargeable Li-ion Batteries

Model	Specification	Capacity
NL1823	18650	2300mAh
NL1826	18650	2600mAh
NL1832	18650	3200mAh
NL1834	18650	3400mAh
NL1835	18650	3500mAh
NL166	16340	650mAh
NL1485	14500	850mAh
NL2140	21700	4000mAh
NL2145	21700	4500mAh
NL2150	21700	5000mAh



Micro-USB/USB-C Rechargeable Li-ion Batteries

Model	Specification	Capacity
NL1826R	18650	2600mAh
NL1834R	18650	3400mAh
NL1835R	18650	3500mAh
NL1665R	16340	650mAh
NL1475R	14500	750mAh
NL2140R	21700	4000mAh
NL2150R	21700	5000mAh
NL2150HPR	21700	5000mAh



High Performance Batteries

Model	Specification	Capacity	Discharge Current
NL1835HP	18650	3500mAh	8A
NL1835LTHP	18650	3500mAh	8A
IMR18650 3100mAh(For TM28)	18650	3100mAh	10A
NL2140HP	21700	4000mAh	15A
NL2145HP	21700	4500mAh	15A
NL2150HP	21700	5000mAh	15A
NL2150HPR	21700	5000mAh	15A



Low-temperature Resistant Batteries

Model	Specification	Capacity	Discharge Current
NL1835LTHP	18650	3500mAh	8A
NL2142LTP	21700	4200mAh	8A
NL2142LTHPR	21700	4200mAh	15A
NL2142LTHPi	21700	4200mAh	15A



21700 i Series Battery

Model	Specification	Capacity	Discharge Current
NL2140i	21700	4000mAh	8A
NL2150i	21700	5000mAh	8A
NL2150HPi	21700	5000mAh	15A
NL2142LTHPi	21700	4200mAh	15A





NDF25, NDF32, NDF34, NDF40





Filters	Model	Compatible Size
	NFR23/NFG23/NFB23	22.5mm
	NFR25/NFG25/NFB25	25.4mm
	NFR34/NFG34/NFB34	34mm
	NFR40/NFG40/NFB40	40mm
	NFR50/NFG50	50mm
	NFR60/NFG60/NFB60	60mm
	NFR65/NFG65	65mm
	NFR70/NFG70	70mm
	NFD23	22.5mm
	NFD25	25.4mm
	NFD34	34mm
	NFD40	40mm
	NFD60	60mm

Color RGB RGB RGB RGB RG

RGB RG RG White White White White

White







► UM2	2 BATTERY CLARGING		
Intelligent USB	Dual-Slot Charger		
UM2 SPEC			
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd		
Input	DC 5V/2A 9V/2A 18W (MAX)		
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%		
Output current	QC Mode: 1,500mA*2 (MAX) Standard Mode: 1,000mA*2 (MAX)		
► UM4	4 BATTERY SUSB SLOTS Charging		
Intelligent USB	Four-Slot Charger		
UM4 SPEC			
Compatible with	h IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd		

 Input
 DC 5V/2A 9V/2A 18W (MAX)

 Output voltage
 4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%

 Output current
 QC Mode: 1,500mA*1 (MAX), 1,500mA*2 (MAX), 750mA*4 (MAX)

 Standard Mode: 1,500mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)

UM2 & UM4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700 Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D

► UMS2 ntelligent USB	Dual-Slot Superb Charger	
UMS2 SPEC		
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd	
Input	DC 5V/2A 9V/2A 18W (MAX)	
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%	
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX)	
► UMS4	4 BATTERY USB SLOTS CHARGING	

Intelligent USB Four-Slot Superb Charger

UMS4 SPEC			
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd		
Input	DC 5V/2A 12V/1.5A 18W (MAX)		
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%		
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX), 1,000mA*4 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)		

UMS2 & UMS4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700 Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D



NES1200 SPEC

Cell	18650 Li-ion Batteries	
Capacity	1252.8Wh (21.6V, 58Ah) (348000mAh)	
DC Input	12V-36V, up to 10A	180W max
USB-C Input	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=5A	100W max per port
AC Output	220V Version: 220V~6A 50Hz, Pure Sine Wave 110V Version: 110V~11A 60Hz, Pure Sine Wave	1200W, 2200W surge
Cig Lighter Output	12V10A	120W max
USB-A Output	5V=3A / 9V=2A / 12V=2A / 20V=1.5A	30W max per port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=5A	100W max per port
Operating temperature	-10~40°C (14~104°F)	



▶ NES500

Portable Outdoor Power Station

Dimensions: 262mm × 237mm × 154mm (10.31" × 9.33" × 6.06")
Weight: 5.65kg (12.46lbs)

NES500 SPEC

Cell	18650 Li-ion Batteries	
Capacity	518Wh (10.8V, 48Ah) (144000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V~2.27A 50Hz, Pure Sine Wave 110V Version: 110V~4.54A 60Hz, Pure Sine Wave	500W, 1000W surge
Cig Lighter Output	12V10A	120W max
USB Output	5V=2.4A	12W max each port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	

V





Portable Outdoor Power Station

• Dimensions: 227mm × 211mm × 129mm (8.94" × 8.31" × 5.08") • Weight: 3.4kg (7.5lbs)

NES300 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	311Wh (10.8V, 28.8Ah) (86400mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V~0.91A 50Hz, Pure Sine Wave 110V Version: 110V~1.81A 60Hz, Pure Sine Wave	200W, 400W surge
Cig Lighter Output	12V10A	120W max
USB Output	5V=2.4A	12W max each port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3A	60W max
On a rating tamparatura	10 4000 (14 10405)	

Operating temperature -10~40°C (14~104°F)







Portable Outdoor Power Station

• Dimensions: 244mm × 187.7mm × 157.3mm (9.61" × 7.39" × 6.19") • Weight: 5.83kg (12.85lbs)

NPS600 SPEC		
Cell	21700 Li-ion Batteries	
Capacity	594Wh (10.8V, 55Ah) (165000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V-1.36A 50Hz, Pure Sine Wave 110V Version: 110V-2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig Lighter Output	12V10A	Cig Lighter + DC Output:
DC Output	12V=10A	Total 120W max
USB Output	5V2.4A	12W max each port
USB QC Output	5V2.4A/9V2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	×



2020

▶ NPS400

Portable Outdoor Power Station

• Dimensions: 244mm × 187.7mm × 157.3mm (9.61" × 7.39" × 6.19") • Weight: 5.68kg (12.52lbs)

NPS400 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	421Wh (10.8V, 39Ah) (117000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V~1.36A 50Hz, Pure Sine Wave 110V Version: 110V~2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig Lighter Output	12V10A	Cig Lighter + DC Output:
DC Output	12V10A	Total 120W max
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	





▶ NPS200

Portable Outdoor Power Station

• Dimensions: 209mm × 156.3mm × 137.3mm (8.23" × 6.15" × 5.41") • Weight: 3.35kg (7.39lbs)

NPS200 SPEC

Cell	18650 Li-ion Batteries	
Capacity	196.56Wh (10.8V, 18.2Ah) (54600mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V~0.68A 50Hz, Pure Sine Wave 110V Version: 110V~1.4A 60Hz, Pure Sine Wave	150W, 300W surge
Cig Lighter Output	12V10A	Cig Lighter + DC Output:
DC Output	12V10A	Total 120W max
USB Output	5V2.4A	12W max each port
USB QC Output	5V2.4A/9V2A	18W max
USB-C Output	5V-3A/9V-3A/12V-3A/15V-3A/ 20V-3A	60W max
Operating temperature	-10~40°C (14~104°F)	





► FSP100W IPX5

100W ETFE Waterproof Foldable Solar Panel

▶ NB10000

Ultra Lightweight Energy Brick Weight: 150g (5.29oz)

NB10000 SPEC	A CONTRACT OF A
Cell	Li-ion
Capacity	10,000mAh 3.85V (38.5Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	USB-C: 5V=2.4A / 9V=2A
Output	USB-C: 5V-3A / 9V-2A / 12V-1.5A USB-A: 5V-3A / 9V-2A / 12V-1.5A Dual Ports: 5V-3A (MAX)
Dimensions	121.9mm×59mm×10.6mm (4.8" ×2.32" ×0.42")



Ultra Lightweight Energy Brick Weight: 324.5g (11.45oz)

Ex.

NRZUUUU SPEC	
Cell	Li-ion
Capacity	20,000mAh 3.85V (77Wh)
Rated Energy	13,500mAh 5V (TYP 2A)
Input	USB-C (INPUT): 5V–2.4A / 9V–2A / 12V–1.5A USB-C (IN): 5V–2.4A / 9V–3A / 12V–2.5A / 15V–2A / 20V–1.5A
Output	USB-C (OUT1): 5V-2.4A / 9V-3A / 12V-3A / 15V-3A / 20V-2.25A USB-A (OUT2/OUT3): 5V-2.4A / 9V-2A / 12V-1.5A Multi Ports Output: 5V-3A (MAX)
Dimensions	136.3mmx60mmx21.4mm (5.37"x2.36"x0.84")





Waterproof Power Bank

NPBI SPEC	
Battery Type	21700 Li-ion Battery
Capacity	5,000mAh 3.64V (18.2Wh)
Rated Energy	3,200mAh 5V (TYP 1A)
Input	Micro-USB: 5V==2A
Output	USB-A: 5V=2.4A 9V=2A (18W MAX)
IP Rating	IP68



▶ NPB2

Waterproof Power Bank

NPB2 SPEC	
Battery Type	21700 Li-ion Batteries
Capacity	10,000mAh 3.64V (36.4Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A 9V=2A
Output	USB-A: 5V–2.4A 9V–2A 12V–1.5A Single Port: 5V–2.4A 9V–2A 12V–1.5A Dual Ports: 5V–2.4A (18W MAX)
IP Rating	IP68





Waterproof Power Bank

NPB4 SPEC		
Battery Type	21700 Li-ion Batteries	
Capacity	20,000mAh 3.64V (72.8Wh)	
Rated Energy	12,400mAh 5V (TYP 1A)	
Input	Micro-USB: 5V=2.4A 9V=2A USB-C: 5V=3A 9V=2A 12V=1.5A	
Output	USB-A: 5V-3A 9V-2A 12V-1.5A USB-C: 5V-3A 9V-2A 12V-1.5A Multi Ports: 5V-3A	
IP Rating	IP68	









▶ 1x20

Red Dot Sight

+ Objective Lens Diameter: 20mm / 0.79" + Dimensions: 70x38x35mm / 2.76"x1.50"x1.38" + Weight: 118g / 4.16oz



► 1x22 Red Dot Sight

+ Objective Lens Dimensions: 22x18mm / 0.87"x0.71" + Length: 49mm / 1.93"





▶ 1-6x24 IR

Rifle Scope

+ Tube Diameter: 30mm / 1.18" + Objective Lens Diameter: 24mm / 0.94"

+ Length: 287mm / 11.3"

+ Weight: 550g / 19.4oz




▶ 3-18x50 IR

Rifle Scope

+ Tube Diameter: 30mm / 1.18" + Objective Lens Diameter: 50mm / 1.97" + Length: 378.5mm / 14.9" + Weight: 742g / 26.2oz





Commuter Backpack



+ Designed for commuters and overnighters

- + Wearproof 500D Nylon fabric with dirt and water resistant coating
- + 18L (1,098 cu in) main compartment available to carry a 14" laptop/tablet
- + Dual frontal and top zipper design for quick storage and access
- + Fishbone Carrying System for outstanding ergonomic comfort and breathability
- + Quick detachable shoulder straps for switching between various carry modes
- + MOLLE Strap System for modular extensions
- + Concealed anti-hook side compartments
- + Large area of interior, frontal and side loop surfaces
- + Straw/cable channel on the top side
- + Premium YKK zippers
- + UTX Duraflex buckles

Specifications

Capacity: 18L / 1,098 cu in Dimensions: 47cm × 24cm × 16cm / 18.5" × 9.4" × 6.3" Weight: Approx. 710g / 1.6 lbs




Designed in Collaboration with Lii Gear As a senior military and outdoor enthusiast, Lii established his own backpack brand, Lii Gear, in 2014. His innovative design concepts and unique crafting techniques make them worldwide popular in the backpack community.





Dual Carry Modes





Multi-Purpose Backpack

Specifications

Capacity: 20L / 1,220 cu in Dimensions: 45cm × 28cm × 12cm / 17.7" × 11" × 4.7" Weight: Approx. 1,500g / 3.3lbs





Ventilated back enhances air circulation and lightens the burden



▶ BP25

Multi-Purpose Modular Backpack

Specifications

Capacity: 25L / 1,526 cu in Dimensions: 45cm × 28cm × 16.5cm / 17.7" × 11" × 6.5" Weight: Approx. 1,460g / 3.22lbs





Frontal Bottom Side MOLLE System MOLLE System MOLLE System







▶ MP20 **20L Modular Backpack**





Specifications

Capacity: 20L / 1,220 cu in Dimensions: 45cm × 27cm × 15cm / 17.7" × 10.6" × 5.9" Weight: Approx. 1,400g / 3.1lbs







Specifications

Capacity: 25L / 1,526 cu in Dimensions: 50cm × 27cm × 17cm / 19.7" × 10.6" × 6.7" Weight: Approx. 1,500g / 3.3lbs

▶ MP30

30L Modular Backpack

Features

- + Designed for long-duration and long-distance operations + Excellent and flexible carrying capability in harsh environments
- + Wearproof and water resistant 500D Nylon fabric
- + 30L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System
- + Outstanding carrying system increases the ergonomic comfort + Innovative straw/cable holes designed on top of both sides
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 30L / 1,831 cu in Dimensions: 58cm × 27cm × 17cm / 22.8" × 10.6" × 6.7" Aux Compartment: 33cm × 25cm × 6cm / 13.0" × 9.8" × 2.4" Weight: Approx. 1,600g / 3.5lbs





► MB LW

Lightweight Tactical Belt Pad

Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment + 2" Nylon woven belt with UTX side release buckle included

Specifications

Width: 95mm / 3.74" Size: L: 98cm-108cm / 39"-43" XL: 108cm-118cm / 43"-47"



► MB SL

Slim Tactical Belt Pad

- Features
- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 11/2" Nylon woven belt with UTX side release
- buckle included
- + Additional Cobra belt available

Specifications

Width: 70mm / 2.76" Size: L: 98cm-108cm / 39"-43" XL: 108cm-118cm / 43"-47"



V





► NRB10

Range Bag

Specifications

Capacity: 20L / 1,220 cu in Materials: 900D Polyester Fabrics Dimensions: 35cm × 19cm × 28cm / 13.8" × 7.5" × 11.0" Weight: 1.6kg (3.5lbs)









Shoulder Bag

Handbag

Carry-on Bag

Anti-oil

Car Seat Travel Bag

▶ NDH10 **Combat Cap**







Features



Anti-

deformation

Anti-odor





Body Armor and Packs

1-5









Coyote Brown



Black

► MBBL01

Lightweight Plate Carrier (Water Resistant Version)

Features

- + 500D Nylon with TPU water resistant coating
- + High frequency welding for excellent water-resistant performance
- + Laser-cut MOLLE System
- + Size readjustment device on the back
- + Ballistic plates and inserts available
- + Modular waist panel design
- + Upper back retractable life-saving handle
- + Back area quick storage system
- + Compatible with tactical belts and assault backpacks



The MBBL01 is a lightweight plate carrier featuring outstanding water-resistant performance with a laser-cut MOLLE System for modular extensions, specially designed for naval military operations including sea patrols and amphibious battles. The quick storage system between the bulletproof vest and the backpack is designed to avoid interference with the shooting accuracy.





LIGHTWEIGHT ASSAULT SYSTEM









Army Green



► MBBG01

Lightweight Assault System (LAS) Intermediate Laser-cut Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Life-saving rescue and dragging system
- + Replaceable unibody shoulder pads
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment





Design

The MBBG01 is the intermediate laser-cut vest of the Lightweight Assault System (LAS) designed for security guards, patrols, border control officers and peacekeeping forces. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. Compared to the lightweight body armor, it is equipped with a soft protective layer to greatly increase the protective area.













Black

MBP15L I5L Modular Assault Backpack

Features

- + 1000D Nylon
- + Laser-cut MOLLE System + YKK waterproof zippers
- + UTX Mojave buckles
- + Carrying system with EVA foam
- + Straw hole on the top
- + Interfaces for tactical electronic devices
- + Concealed rain cover included





Design

The MBP15L is a 15L (915.4 cu in) modular assault backpack with a rounded body design and concealed zippers to avoid being hooked in the jungle areas. It is available for independent uses and compatible with body armor and plate carriers.



MBBL05

Lightweight Assault System (LAS) Summer Hollow Vest

Features

+ Austrian Cobra quick-release buckles

- + Laser-cut MOLLE System
- + Air Flow Liners (AFL) for rapid sweat evaporation and quick dry
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment



Design

The MBBL05 is the summer hollow vest of the Lightweight Assault System (LAS) designed for universal usage of law enforcement and military operations, featuring quick release, quick dry, enhanced offensive and defensive performance. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. The large hollow design also achieves an excellent cooling performance.





07 Digital Camo

Coyote Brown



Black







► MBT01

Tactical Belt

Features

- + Specially designed for military training, operations, patrols and daily duty
- + Laser-cut MOLLE System
- + 3-dimensional cutting
- + Trapezoidal protective areas
- + UTX buckles
- + Available for independent uses and compatible with modular extensions



Tactical Chest Bag

Features

- + Specially designed for military training and daily duty
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Hook-and-loop areas



▶ MBG02

Extended Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible
- + Universal and quick draw modes available



► MBG03

Quick Draw Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible



► MBG04

Pistol Magazine Pouch

Features **(**

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Tactical flashlights and multi-tools compatible



► MBR01

Multifunctional Tactical Rifle Bag

Features

- + Suitable for rifles of 0.6-1.2m (1.97'-3.94') long
- + 1000D Nylon
- + Shooting bag and mattress interchangeable
- + 3 strips for binocular bags, rifle magazine
- pouches etc.
- + Detachable shoulder straps





► MBG05

Dual Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible + Increased functionality and carrying compatibility





Quadruple Rifle Magazine Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Available for independent uses and compatible with body armor and plate carriers
- + Enables quick draws for requirements of shooting sports



▶ MBG07

Octuple Chest Rig Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + UTX Mojave buckles
- + Detachable back strips
- + Available to carry 4 × rifle magazines, 2 × pistol magazines, 1 × walkie-talkie, 1 × compass, 1 × gadget
- + Available for independent uses and compatible with body armor and plate carriers



▶ MBG08

Vest module

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Outer MOLLE System
- + UTX Mojave buckles
- + Detachable back strips
- + Available for independent uses and compatible with body armor and plate carriers



▶ MBG09

Walkie-talkie Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple walkie-talkie sizes compatible







Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple sizes of radio communication equipment compatible



▶ MBG11

Medical Pouch

Features

- + 1000D Nvlon
- + Laser-cut MOLLE System

▶ MBBC01

Features

Inner Bulletproof Vest

+ Elastic and breathable materials

+ Laser-cut hook-and-loop areas

+ Frontal Fast Switching System (FSS) for LAS accessories

+ Tactical cutting techniques

+ 3-side size readjustment

- + Interior and exterior hook-and-loop design
- + Two user modes including Tactical Mode and
- Duty Mode available
- + Elastic band and paracord compatible







72

Appare

NITECO



► MAAB01

Short Sleeved T/B

Fabric Weight

80 GSM (2.4oz/yd²)

Applicable Temperature

10°C-38°C (50°F-100.4°F)

Design

The MAAB01 is a short-sleeved suit made by anti-UV yarn combined with waterproof materials with anti-hook, anti-pilling and anti-static features. It has a breathable and quick dry design for the ergonomic comfort in vigorous movements.

► MAAB03

FR Aramid Long Sleeved T/B Fabric Weight

120 GSM (3.5oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB03 is an aramid long sleeved suit specially designed for military operations. It is soft and comfortable with flame retardant, heat resistant and antistatic features.





► MAAB02

Long Sleeved T/B

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB02 is a long-sleeved suit featuring one-way-dry, bacteriostatic, antistatic, anti-UV techniques. Specially designed for cold environments, it has a loose and comfortable design suitable for daily wearing.

► MAAB04

FR Polyimide Long Sleeved T/B

Fabric Weight

180 GSM (5.3oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAB04 is a polyimide long sleeved suit specially designed for military operations. It is soft and comfortable with excellent flame retardant, bacteriostatic and thermal performance.





► MAAT04

Summer Duty Uniform T/B

Features

- + Breathable, waterproof and quick dry materials
- + High strength elastic and wearproof techniques
- + Joint protection design
- + 3-dimensional cutting
- + YKK zippers
- + UTX buckles



Design

The MAAT04 is a summer duty uniform specially designed for military training and operations. With a superior modular design of simplicity and ergonomics, it is convenient to be readjusted and stored while also suitable for daily outdoor wearing.

► MAAT05

Summer Combat Uniform T/B

Features

- + Lightweight, elastic, quick dry and anti-hook Nylon
- + Waterproof, wearproof and one-way-dry materials
- + Soft shell materials
- + Joint protection design
- + Hook-and-loop areas
- + Zippered arm pockets for go-to gadgets





Design

The MAAT05 is a lightweight summer combat uniform specially designed for operations in hot environments. With a superior modular design, it greatly improves the flexibility and breathable performance while offering an outdoor protection for the joints of the wearer.



► MAAT06

Spring/Summer Combat Uniform T/B

Features

- + High strength and wearproof Nylon
- + High quality cotton camo
- + Fire retardant, waterproof and wearproof materials
- + Adjustable protective insets for elbows and knees available
- + Tactical cutting design
- + Breathable channel system





The MAAT06 is a spring/summer combat uniform with multiple versions including Universal Version, Hot Climate Version and Special Forces Version. With a modular design, it guarantees the mobility of the wearer with basic protection, excellent heat dissipation and quick dry performance in vigorous movements.



Fall/Winter Combat Uniform T/B

Features

- + Intermediate high strength Nylon
- + High quality anti-IR cotton camo
- + Adjustable protective insets for elbows and knees available
- + Multifunctional zippered pockets
- + Tactical cutting design on top
- + 3-dimensional cutting design on bottom





Design

The MAAT07 is a fall/winter combat uniform specially designed to provide protection and camouflage for operations in harsh environments. With multiple tactical designs, it greatly increases the efficiency of the wearer with large carrying capacity, ultimate flexibility and breathable performance.



78



► MAAI01

Short Fleece

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI01 is a lightweight short fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal performance.

► MAAI03

FR Polyimide Fleece

Fabric Weight

360 GSM (10.6oz/yd²)

Applicable Temperature

-15°C (5°F)

Design

The MAAI03 is a polyimide fleece suit designed to keep warm in military operations. With a heat resistance of 400 (752), it is soft and comfortable with excellent flame retardant, windproof, breathable and thermal performance.





► MAAI02

Long Fleece

Fabric Weight

260 GSM (7.7oz/yd²)

Applicable Temperature

-10°C (14°F)

Design

The MAAI02 is a strengthened long fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal and compressible performance.

► MAAI04

Soft Shell Fleece Coat

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI04 is a soft shell fleece coat made by elastic materials with waterproof coating, featuring excellent, flame retardant, waterproof and thermal performance.





SHELL



MAAS01

Soft Shell Combat Coat

Fabric Weight 240 GSM (7.1oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAASO1 is a soft shell combat coat specially designed for military operations in harsh environments, featuring excellent waterproof, breathable and windproof performance. ► MAAS03

Warm Parka T/B Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-30°C (-22°F)

Design

The MAAS03 is a warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet.





MAAS02

Hard Shell Trench Coat T/B

Fabric Weight

228 GSM (6.7oz/yd²)

Applicable Temperature

-17°C (1.4°F)

Design

The MAAS02 is a hard shell trench coat specially designed for the harsh environments, featuring excellent waterproof, breathable, windproof and thermal performance with one-way-dry technique.



EX Warm Parka T/B

Fabric Weight 200 GSM (5.9oz/yd²)

Applicable Temperature

-35°C (-31°F)

Design

The MAAS04 is an EX warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet. It also has an excellent moisture proof feature and maintains more 90% of its warmth even in extremely humid environments.



PHOTO CREDITS

stanislavpetera hard_task_photo AJ Colores Scott Dalton Anthony Rowe

All images, text and statements specified herein this catalogue are for reference purpose only. Should any discrepancy occur between this catalogue and information specified on www.nitecore.com, information on our official website shall prevail. Sysmax Innovations Co., Ltd. reserves the rights to interpret and amend the content of this document at any time without prior notice.