

06 Safety eyewear 11 Goggles Face shields **Head Protection**


Warning! Honeywell equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury including diminution or loss of vision.



Wherever there is a potential for falling or flying objects, chemical splash, airborne particles, impacts or bumps, Honeywell's industry-leading products provide specialized, proven protection against hazards.

Head to-toe protection starts at the top. For optimal Eye, Face and Head Protection, Honeywell offers a broad range of safety headgear options: from bump caps and hard hats, to safety glasses and face protection in construction and other workplace settings.

Honeywell protective Eye, Face and Head Protection is designed not only to fulfill the primary function of effective protection, but also to make the products easy to wear, comfortable, and suitable for every user.



SAFETY EYEWEAR MARKINGS: HOW TO IDENTIFY APPLICATIONS AND PERFORMANCE



FRAME MARKINGS

HON 166 349 BT

Manufacturer's identifier

Reference standard

EN 166: standard

Mechanical resistance

F: impact: 45 m/s

B: impact: 120 m/s

A: impact: 190 m/s

T: resistance guaranteed between -5° C and 55° C

Specific areas of application

- 3: liquids (drips/splashes)
- 4: large dust particles
- 5: gas and fine dust particles
- 8: short circuit electric arc
- 9: hot solids and molten metals

LENS MARKINGS

2C-1.2 HON 1 BT KN

Filter performance and area of application

Code (area of application)

2 or 3: UV filter EN 170

4: IR filter EN 171

5 or 6: sunlight filter EN 172 No nº: welding filter EN 169

Colour perception |

C or 3: colour perception unchanged

Safety class

1.2 to 6: level of filtering of visible light

Mechanical resistance

F: impact: 45 m/s

B: impact: 120 m/s

A: impact: 190 m/s

- $\textbf{T}\!:$ resistance guaranteed between -5° C and 55° C
- **K**: Resistance to surface damage by fine particles (optional).
- N: Resistance to fogging (optional).

Optical class

1: no optical distortion

(permanent wear authorised)

Manufacturer's identifier

SAFETY EYEWEAR

HONEYWELL AVATAR

Designed with the worker in mind, the unique technology of Honeywell Avatar allows for eight points of adjustability in a customizable, stylish eyewear.

- Stylish, 9-base wrap-around lens provides peripheral vision and protection
- Soft, flexible nose pads prevent slipping
- Comfortable, soft brow frame, and lightweight frame for all-day wear
- Patented, indirect venting system allows for airflow to help minimize fogging
- Wire-core, fully adjustable, and flexible temples to fit almost any facial profile
- Available in a variety of frame and lens tints
- Available in anti-scratch, hard coat, and premium Hydroshield anti-fog coatings
- Product certified to EN 166: 2001, PPE Regulation 2016/425





REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 348 31	Honeywell Avatar Black / Clear Lens / Hydroshield	○ Clear	Hydroshield	HON 166 F	2C-1.2 HON 1 F KN
10 348 32	Honeywell Avatar Black / Grey Lens / Hydroshield	Grey	Hydroshield	HON 166 F	5-3.1 HON 1 F KN

HONEYWELL AVATAR OTG™

Honeywell Avatar™ OTG is an innovation in comfort and style in the Over-the-Glass market.

- Anti-scratch protection, excellent scratch-resistant hard coat
- Anti-reflective coating available improves optical clarity and reduces eye strain from distracting reflections and glare
- Up to 15-degree angle-adjustable ratchet temples
- Flexible temples flex system design delivers superior comfort and fit
- Ergonomically designed arms, indirect venting system
- Flexible, ultra-adjustable, multi-material nose piece provides the desired comfort and fit
- Multi-Material Technology plus (MMT+) innovative rubber compound provides exceptional grip and comfort
- Patented indirect venting technology that significantly reduces fogging
- Product certified to EN 166: 2001, PPE Regulation 2016/425





REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 358 12	Honeywell Avatar OTG Black & Red / Grey Lens / Hard Coat	Grey	Hard Coat	HON 166 F	5-3.1 HON 1 F
10 358 13	Honeywell Avatar OTG Black & Blue / Clear Lens / Hard Coat & Anti-reflective	O Clear	Hard Coat & Anti-reflective	HON 166 F	2C-1.2 HON 1 F


Honeywell

SAFETY EYEWEAR

XC® V

XC stands for X-tra Coverage, X-tra Comfort, and X-tra Control. Loaded with features with quick and easy lens replacement.

- 9-base curved lens provide effective cover for the eye area and reduce the risk of particle intrusion
- It provides total wraparound coverage and assures exceptional peripheral vision along with complete protection
- Adjustable temples and lenses with flexible nosepiece and extra flexible frame
- Lenses can be changed easily without replacing the entire frame for a longer product life and cost savings
- It protects from the top of the eye to the bottom with no gaps
- It fits a variety of faces, both men and women, and feels like made-to-order eye protector
- MMT (Multi-Material Technology®) ultra-soft two-shot material on any part of the frame in contact with the face or head
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 110 27HS	XC Blue / Clear Lens / Hydroshield	○ Clear	Hydroshield	B-D 166 FT	2C-1.2 B-D 1 FT KN
10 109 50	XC Blue / Clear Lens / Hard Coat	○ Clear	Hard Coat	B-D 166 FT	2C-1.2 B-D 1 FT

MILLENNIA 2G

Part of Honeywell's "Put it On and Go" eyewear category, Millennia 2G features simplicity, excellent protection, comfortable fit and stylish design.

- Classic and simple in design with a sporty touch to boost worker compliance
- Ready to wear, no need to worry about any adjustments
- Softer, more flexible frame material for superior comfort
- High level of eye and cheek coverage
- Ensures protection from particulates, dust, and other impact risks
- Panoramic viewing area, with less "frame interruption"
- The comfortable nose pads help prevent the eyewear from slipping
- Product certified to EN 166: 2001, PPE Regulation 2016/425





REF	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 321 79	Millennia 2G Black / Clear Lens / Fogban & Anti-scratch	○ Clear	Fogban & Anti-scratch	HON 166 FT	2C-1.2 HON 1 FT KN

SAFETY EYEWEAR

Honeywell

HONEYWELL PROTÉGÉ 🐯

Combines sport styling with lightweight comfort and flexible design. Floating lens design offers increased flexibility with a secure wraparound brow that expands to fit a wide range of users.

- Smart style and lightweight design for advanced comfort
- Spring hinge temples
- Bendable temples to fit your ears
- Soft nose bridge to prevent slippage and to fit your nose
- High protection wrap-around 7-base polycarbonate lenses
- Provides excellent coverage and protection
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 153 64HS	Honeywell Protégé Clear / Clear Lens / Hydroshield	○ Clear	Hydroshield	B-D 166 FT	2C-1.2 B-D 1 FT KN
10 153 66	Honeywell Protégé Black & Orange / Clear Lens / Hard Coat	○ Clear	Hard Coat	B-D 166 FT	2C-1.2 B-D 1 FT

HONEYWELL SVP 400

Stylish simplicity for full protection, great field vision and comfort. Excellent value, at your sight.

- Frameless, stylised look
- 9-base wraparound lens for full protection and better field vision
- Comfort improved by rubber, dual-material, non-slip temple tips
- Cushioned nose bridge
- Polycarbonate lens available with K&N coating: anti-fog and / or anti-scratch
- UVA/UVB lens filters > 99.9% UVB/UVA for far and near **UV** transmittance
- 4 lens tints including -Indoor / Outdoor and Silver Mirror
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 356 41	Honeywell SVP 400 Clear / Clear Lens / K&N	○ Clear	K&N Anti-scratch & Anti-fog	HON 166 F	2C-1.2 HON 1 F KN
10 356 43	Honeywell SVP 400 Grey / Grey Lens / K&N	Grey	K&N Anti-scratch & Anti-fog	HON 166 F	5-3.1 HON 1 F KN

SAFETY EYEWEAR



HONEYWELL SVP 200

Stylish, low-profile and very lightweight eyewear which offers all-day comfort for temporary or permanent workforce across all industries.

- 10-base wraparound lens for ultimate coverage and protection
- Extremely lightweight frameless design at only 15 g for all-day wear
- Comfortable temple tips that are flexible for non-slip protection, fitting most facial profiles
- Comfortable molded nosepiece for non-slip protection
- Product certified to EN 166: 2001, PPE Regulation 2016/425





REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
19 288 61	Honeywell SVP 200 Clear / Clear Lens / Anti-fog	○ Clear	Anti-fog	HON 166 F	2C-1.2 HON 1 F
19 288 64	Honeywell SVP 200 Amber / Amber Lens / Anti-fog	Amber	Anti-fog	HON 166 F	2C-1.2 HON 1 F

008A

Affordable and economically priced! Sporty, wrap-around eyewear with extra "flex" built into the temples for increased tension control.

- Affordably priced and economical for your business
- Sporty, 9-base wrap-around polycarbonate lens
- They provide a 180° field of distortion-free vision
- Non-slip rubber nose bridge
- Unique temples with soft, padded inserts down the length of the temple
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hard coating or Fog-Ban® anti-fog coating
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 153 70	A800 Clear / Clear Lens / Anti-scratch	○ Clear	Anti-scratch	B-D 166 F	2C-1.2 B-D 1 F
10 153 69	A800 Clear / Clear Lens / Fogban & Anti-scratch	○ Clear	Fogban & Anti-scratch	B-D 166 F	2C-1.2 B-D 1 F
10 153 67	A800 Grey / Grey TSR Lens / Fogban & Anti-scratch	Grey TSR	Fogban & Anti-scratch	B-D 166 F	5-2.5 B-D 1 F

Honeywell

SAFETY EYEWEAR

A700

Economical and stylish eye protection with sport temples for a fashionable and comfortable fit. Sporty, wrap-around design.

- Rock-solid protection for an affordable price
- Provides a stylish fit for everyday wear
- Sport temples with soft temple tip pads
- Molded universal nose bridge for a comfortable fit
- Secure, wrap-around fit for all-day comfort
- 8-base polycarbonate abrasion resistant lenses and a 180° field of distortion-free vision
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 153 60	A700 Clear / Clear Lens / Anti-fog	○ Clear	Anti-fog	B-D 166 F	2C-1.2 B-D 1 F
10 153 61	A700 Clear / Clear Lens / Anti-scratch	○ Clear	Anti-scratch	B-D 166 F	2C-1.2 B-D 1 F
10 153 62	A700 Grey / Grey TSR Lens / Anti-scratch	Grey TSR	Anti-scratch	B-D 166 F	5-2.5 B-D 1 F

OP-TEMA

Lightweight classic style model with full view lens and a built-in molded brow bar. Op-Tema also has a soft adjustable nosepiece, adjustable temple lengths and lens angles, and a breakaway FlexiCord retainer.

- Frameless wrap-around lens styling for unobstructed vision
- Adjustable temple length and lens angle for a personalised fit
- Adjustable soft nose bridge
- Available with scratch-resistant hard coating
- Includes adjustable break-away FlexiCord
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 000 16	Op-Tema Black / Clear Lens / Anti-scratch	○ Clear	Anti-scratch	D166 F	2C-1.2 D 1 FT

GOGGLES



MAXX PRO

Sleek goggle design with a toric lens. Indirect ventilation system channels direct airflow over the lens to minimize fogging.

- Hydroshield coating provides highest fog-free performance, even after extended wear and repeated cleanings
- Provides greater scratch resistance than the current anti-fog coating
- Toric lens provides superior optics and peripheral vision
- Soft elastomer body flexes and conforms to the face for a comfortable, gap free-fit
- · Pivoting, quick adjustment headband
- Indirect ventilation system minimises fogging
- Polycarbonate lenses with an economical lens replacement system
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 110 72HS	Maxx Pro / Goggle Polycarbonate / Hydroshield Coating Lens / Fabric Headband	○ Clear	Hydroshield	B-D 166 349 FT	2C-1.2 B-D 1 FT 9 KN

V-MAXX®

A sporty style goggle for increased wearer acceptance. Fits a wide variety of workers and can be worn over prescription eyewear and with most half-mask respirators.

- Sleek wrap-around styling for a 180-degree, clear field of vision
- Rotating strap attachments
- The strap attachment system provides easier use with hard hats
- Elastic headband and special concept of indirect ventilation
- Compliant with splash-resistance test
- Passes impact grade B for medium energy and meets certification for molten metal
- Product certified to EN 166: 2001, PPE Regulation 2016/425



REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 061 93	V-maxx / Indirect Ventilation / Textile Strap	O Clear PC	Fogban & Anti-scratch	B-D 166 349 B	2C-1.2 B-D 1 B 9



Honeywell

FACE SHIELDS

BIONIC®

Advanced ergonomic design with 2,784 possible positions, extended chin and top-of-head protection, and a ratcheting headgear mechanism for a secure and comfortable fit.

- Large superior-quality visors for maximum visibility
- Easily replaceable visors available in different materials, tints and finishes to better suit individual needs
- Comfortable fit with goggles or respirators
- Locking mechanism for more complete safety
- Dielectric design
- Incredible adjustability (2,784 possible wearer positions) fully-adjustable ratchet headgear and headband
- Multiple visor tilt positions and extra soft cushioning on all parts of the shield in contact with the head
- Breathable extra-soft sweatband is removable for easy washing and replacement
- Product certified to EN 166: 2001, PPE Regulation 2016/425



2,784 possible adjustement positions, 15 design patents, one revolutionary face shield.





REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 116 23	Bionic face shield with uncoated polycarbonate visor	○ Clear	-	B-D 166 3 BT	2C-1.2 B-D 1 BT 3 9
10 116 24	Bionic face shield with polycarbonate visor	○ Clear	Fogban & Anti-scratch	B-D 166 3 BT	2C-1.2 B-D 1 BT 3 9
10 119 33	Bionic face shield with acetate visor	○ Clear	-	B-D 166 3 BT	FT 3



TURBOSHIELD

An improvement upon more traditional visors, with three patented features, Honeywell Turboshield provides unparalleled comfort for longer wear, the easiest visor exchange system available, and optimal safety and balance.

- Perfect for those who are exposed to falling or flying objects, impact, splash, UV, and airborne debris
- Can be comfortably worn with most goggles, respiratory protection, and hearing protection
- Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions
- Easy visor exchange with a simple push-button release
- Improved Protection with 50% more chin coverage compared to traditional visors
- Adjustment knobs are large and ergonomically designed for simple, easy adjustment – even wearing gloves
- Patented Hard Hat Adapter that allows visors to slide back 170 mm overhead when faceshield is in the upright position for better balance and weight distribution
- Product certified to EN 166: 2001, PPE Regulation 2016/425





HEADGEAR					
REF.	DESCRIPTION	MARKING			
10 317 40	Turboshield / Ratcheted Headgear / Black	HON 166 BT A 3 9			

REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 317 43	Clear PC Turboshield Replacement Visor	○ Clear	Uncoated	-	2C-1.2 HON 1 BT A 3 9
10 317 44	Clear PC Turboshield Replacement Visor	○ Clear	Hard Coat & Anti-fog	-	2C-1.2 HON 1 BT A 3 9 KN

Honeywell

SUPERVIZOR

Robust, heavy-duty, helmet-mounted faceshield range with hearing protection compatibility.

- Robust, heavy-duty, helmet-mounted faceshield with hearing protection compatibility
- Compatible with a wide range of helmet designs
- The visor fixing method is secure and allows easy replacement
- It gives maximum protection, allowing full unrestricted head movement
- Full face protection: optional chin guard versions available for added protection
- Creased visor eliminates gaps and visor profile follows contours of
- Visor selection can be tailored to the specific hazard / application: mechanical, chemical, thermal, etc.
- The design allows the visor to be tilted whilst leaving the earmuffs in place covering the ears
- It also facilitates the wearing of the earmuffs without compromising the attenuation, whilst maintaining a maximum area of facial coverage
- Product certified to EN 166: 2001, PPE Regulation 2016/425







SUPERVIZOR MOUNTING SYSTEM

REF.	NAME	DESCRIPTION	MARKING
10 022 97	SB600	Headgear with adjustable strap	166 3 8-1-0 9 B
10 023 05	SA66	Anodised aluminium screen mounting, for site safety helmets	166 3 B
10 022 95	VS7	Chin guard	-

POLYCARBONATE SCREENS: IMPACT-RESISTANT

REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 023 12	Clear polycarbonate screen (230 mm)	-	-	-	2C-1.2 HON 1 B 3 9



CLEARWAYS

Clearways offers both strength and durability with replacement visors available in acetate or polycarbonate.

- Safe, practical, economical integral visor fitting, ensures extra protection against chemicals
- Excellent protection against splashes of liquids
- The Clearways offers both strength and durability
- Lightweight, comfortable enough to wear all day
- Product certified to EN 166: 2001, PPE Regulation 2016/425



CLEARWAYS HEADGEAR

REF.	NAME	DESCRIPTION	MARKING
10 023 46	CB14	Polyamide headgear with elastic strap and browguard	1B3
10 023 41	CB20	Adjustable polyamide headgear and browguard	183

POLYCARBONATE SCREENS: IMPACT-RESISTANT

REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
10 023 53	Clear polycarbonate screen (200 mm)	-	-	-	1 B 3

PERFORAMA NOVA

Three part face shield with clear crown and chin guard for optimum protection.

- Visor 18 cm
- Flip-up visor
- Adjustable flip-back block position
- Ratchet-adjustable headgear and head-mounted transparent head guard
- Face shield sold as one piece
- Product certified to EN 166: 2001, PPE Regulation 2016/425

Face shield sold as one piece

REF.	DESCRIPTION	LENS	COATING	FRAME MARKING	LENS MARKING
820 140	Head-mounted clear polycarbonate screen	Clear PC	-	N 166 3 9 B	N1B9



HEAD PROTECTION



HEAD PROTECTION

HONEYWELL BUMP CAP

Honeywell has engineered a new generation of bump caps to keep your workers protected whenever there is a risk of impact between the head and stationary or sharp objects. Honeywell Bump Caps are created to be lighter, cooler, more comfortable and provide an enhanced field of view.

- Polypropylene shell for enhanced protection against contact with stationary objects
- Reflective side and back panels plus the front piping allow the bump cap to reflect light, providing increased visibility and improved safety
- Optional chin strap even more protection, preventing the bump cap from falling off
- Internal ultra-soft foam, made of Polyurethane, provides extra comfort for extended wear
- Lightweight 180 g eliminating neck fatigue and increasing productivity
- Nylon mesh panels on the sides for maximum ventilation, no matter if you work indoors or outside
- Velcro® back closure adjustment for multiple head sizes (54 cm to 59 cm head circumference)
- New classy and sleek design protects against contact with stationary objects without sacrificing style
- Short peak brim (5.5 cm) for better field of view
- Hand washable cap the shell cover is made of fabric (35% Cotton, 65% Polyester)
- Available in five vibrant colors: red, blue, gray, black and orange







HEAD PROTECTION

Honeywell

HONEYWELL NORTH SHORT BRIM HARD HAT

Honeywell North Short Brim Hard Hat combines the heritages of the two world-recognized brands into a new cost-effective, certified head protection solution. Benefit from enhanced performance, all-day comfort and durability and reduce costs in your organization. Adjustable, wellbalanced, dependable, Honeywell North Short Brim Hard Hat offers the quality you need for the price you expect. Increase your comfort and choose the cooling efficiency you desire with the vented hard hat or benefit from protection against electrical hazards with the non-vented version.



- Protection: Type I
- Electrical class: Non-vented version as per EN 50365:2002
- Weight: up to 390 g without the chin strap and up to 410 g with the chin strap
- Ventilation: Vented (NSB110) and non-vented (NSB110) options
- High temperature resistance: +50° C
- Low temperature resistance: -30° C
- Compatible with the following Honeywell PPE adapters:
- CP5005 plastic face-shield bracket
- 3796VS1 helmet adapter for cap mounted earmuffs
- Certifications
- Annex II of the PPE Regulation (EU) 2016/425 Category III
- CE/EN (EN 397:2012 +AI:2012, EN 50365:2002 (non-vented
- Eight color options: white, yellow, orange, green, gray, black, red and dark blue
- Industries: Construction, Manufacturing, Mining, Oil and gas, Ship building, Traffic Safety, Utilities



SKU	DESCRIPTION	MARKING
NSB10001E	Honeywell North Short Brim Hard Hat - White	EN 397:2012 +AI:2012
NSB10002E	Honeywell North Short Brim Hard Hat - Yellow	EN 397:2012 +AI:2012
NSB10003E	Honeywell North Short Brim Hard Hat - Orange	EN 397:2012 +AI:2012
NSB10004E	Honeywell North Short Brim Hard Hat - Green	EN 397:2012 +AI:2012
NSB10009E	Honeywell North Short Brim Hard Hat - Gray	EN 397:2012 +AI:2012
NSB10011E	Honeywell North Short Brim Hard Hat - Black	EN 397:2012 +AI:2012
NSB10015E	Honeywell North Short Brim Hard Hat - Red	EN 397:2012 +AI:2012
NSB10071E	Honeywell North Short Brim Hard Hat - Dark Blue	EN 397:2012 +AI:2012
NSB11001E	Honeywell North Short Brim Hard Hat - Vented - White	EN 397:2012 +AI:2012
NSB11002E	Honeywell North Short Brim Hard Hat - Vented - Yellow	EN 397:2012 +AI:2012
NSB11003E	Honeywell North Short Brim Hard Hat - Vented - Orange	EN 397:2012 +AI:2012
NSB11004E	Honeywell North Short Brim Hard Hat - Vented - Green	EN 397:2012 +AI:2012
NSB11009E	Honeywell North Short Brim Hard Hat - Vented - Gray	EN 397:2012 +AI:2012
NSB11011E	Honeywell North Short Brim Hard Hat - Vented - Black	EN 397:2012 +AI:2012
NSB11015E	Honeywell North Short Brim Hard Hat - Vented - Red	EN 397:2012 +AI:2012
NSB11071E	Honeywell North Short Brim Hard Hat - Vented - Dark Blue	EN 397:2012 +AI:2012
NSB100CS	Honeywell North Short Brim Hard Hat Chin Strap	-

For More Information

sps.honeywell.com

HONEYWELL SAFETY PRODUCTS UNITED KINGDOM

Honeywell Safety Products UK LTD Honeywell House, Skimped Hill Lane, Bracknell, Berkshire RG12 1EB United Kingdom

Phone: +44 (0) 1256 274938 Email: info-uk.hsp@honeywell.com

HONEYWELL SAFETY PRODUCTS NORDICS

Honeywell Safety Products Nordic AB Strandbadsvägen 15 SE-252 29 Helsingborg – Sverige Phone: +46 (0) 424480433

Email: info-nordic.hsp@honeywell.com

HONEYWELL SAFETY PRODUCTS BENELUX

Honeywell Safety Products Benelux BV Lange Amerikaweg 55 7332 BP Apeldoorn, Nederland Tel: +31 (0) 20 5656 988

Email: info-benelux.hsp@honeywell.com

Honeywell