



Comfort and Fit Have a New Look

NEW Honeywell Avatar™ OTG with Weight-Distribution Technology

Introducing Honeywell Avatar™ OTG

An innovation in comfort and style in the OTG market

Over-the-Glass (OTG) safety glasses are the desired solution for workers who wear corrective lenses, as they're simply worn over their own RX eyewear. Honeywell Avatar OTG has a stylish ultra-light design and incorporates the Weight Distribution Technology and numerous adjustability innovations such as ratchet temples and fully adjustable temples and nose pad. With its ideal balance of technology and design, Honeywell Avatar has both the qualities of comfort and style.



Honeywell Avatar OTG features:

Weight distribution and stability - Unlike most OTGs, weight is dispersed throughout the brow and the nose piece.

- 01** - Anti-scratch protection - Excellent scratch resistant hardcoat coating.
- 02** - Anti-reflective coating (available) - Improves optical clarity and reduces eye strain from distracting reflections and glare.
- 03** - Angle-adjustable ratchet temples - Up to a 15-degree adjustment range for a better fit.
- 04** - Flexible temples MMT+ - Flex system design delivers superior comfort and fit.
- 05** - Wire Core Temples
- 06** - Ergonomically Designed Arms
- 07** - Flexible Nose Piece
- 08** - Avatar ultra-adjustable nose piece*
 - Multi-material nose piece offers 3 vertical positions and flexes to most nose sizes to provide the desired comfort and fit.
- 09** - Soft Brow Frame **MMT+**
- 10** - Soft Temples **MMT+**
- 11** - Soft Nose Pads **MMT+**
- 12** - Patented indirect venting technology* - Advanced technology that significantly reduces fogging.

Multi-Material Technology® plus (MMT+) - Innovative rubber compound provides the desired grip and comfort.



RISKS

- General use and protection against impact (45m/s)

APPLICATIONS

- For use over prescription glasses
- Suitable for most environments and several applications

Honeywell Avatar™ OTG Specifications



1035810
Anti-Scratch Coating
Clear lens



1035811
Anti-Scratch Coating
Clear lens



1035812
Anti-Scratch Coating
Grey lens



1035813
Anti-Scratch and
Anti-Reflective Coating
Clear lens

Technical Datas

Range	Over The Glass
Lens Material	Polycarbonate
Frame Material	PC/TPU
Frame color	Red & Black / Black / Blue & Black
Lens Coating	Anti-scratch and Anti-reflective (available)
Weight	46.3 grams per eyewear
Certifications	EC Certificate Number PPE18161208 Standard(s): EN166:2001
Category PPE	2 - Quality Assurance : ISO 9001 / 2000
Delivery Information Selling units	10 units per box , 100 units per case

Ref.	Description	Lens	Coating	Frame Marking	Lens Marking
1035810	Honeywell Avatar OTG Black /Clear lens / Hard Coat	○ Clear	Hard Coat	HON 166F	2C-1.2 HON 1F
1035811	Honeywell Avatar OTG Black&Red /Clear lens / Hard Coat	○ Clear	Hard Coat	HON 166F	2C-1.2 HON 1F
1035812	Honeywell Avatar OTG Black&Red /Grey lens / Hard Coat	● Grey	Hard Coat	HON 166F	5-3.1 HON 1F
1035813	Honeywell Avatar OTG Black&Blue /Clear lens / Hard Coat and Anti Reflective	○ Clear	Hard Coat & Anti-Reflective	HON 166F	2C-1.2 HON 1F

Lens markings

Optical class 1:

no optical distortion
(permanent wear authorised)

Mechanical resistance

F: impact: 45 m/s

T: resistance guaranteed between -5 and 55°C

K: Resistance to surface damage by fine particles

N: Resistance to fogging

Filter performance and area of application

Code (area of application)

2 : UV filter

5 : sunlight filter

Colour perception:

C: colour perception unchanged

Safety class:

1.2 to 6: level of filtering of visible light

HONEYWELL SAFETY PRODUCTS

UNITED KINGDOM

Honeywell Safety Products Uk Ltd

Edison Rd
Basingstoke RG21 6QD
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Email: info-uk.hsp@honeywell.com

INTERNATIONAL

Honeywell Safety Products Europe SAS

Immeuble Edison Paris Nord 2
33, rue des Vanesses – CS 55288 Villepinte
95958 Roissy CDG Cedex – France
Phone: +33 (0)1 49 90 79 79
Fax: +33 (0)1 49 90 71 04
Email: info-export.hsp@honeywell.com

www.honeywellsafety.com

FOR TECHNICAL QUESTIONS

INDUSTRIAL SAFETY PPE TECHNICAL SUPPORT

Free Phone: 00 800 3344 2803 (free calls in Europe)
Phone: +44 (0) 1698 647 087 (paid calls)
Email: IS.PPE.TECHSUPPORT.EUROPE@honeywell.com

11-18-969 GB - 12/2018
©2018 Honeywell International Inc.

Honeywell
THE POWER OF **CONNECTED**